



**ALL WEATHER
INSULATED PANELS**

PL42-MF Interior Load Span Table

Panel Thickness	Panel Weight	Single Span Condition (ft)		
		26ga/26ga	24ga/24ga	22ga/22ga
4"	4.80	26	28	30
6"	6.30	34	36	38
8"	7.80	30 ^{Note 2}	30 ^{Note 2}	30 ^{Note 2}

Notes:

1. Spans shown are based on transverse load testing per ASTM-E72.
2. Maximum panel length produced for 8" panels is 30 ft
3. Deflection Limit: L/240
4. Allowable spans calculated based on a 5 PSF interior load.
5. Consult your AWIP representative for project specific requirements.

Rev: December 7, 2016