


- Unique aesthetic similar to the classic board and batten look in a single pass on the wall
- Composite panel simplifies design, reduces complexity, improves efficiency and reduces installation costs
- Single component wall design includes exterior aesthetic, weather barrier, insulation and vapor barrier



Product Specifications

Froduct Specifications					
Profile	Exterior	Smooth, Trapezoid			
	Interior	Embossed, Lightly Pl	anked, Mesa Rib		
Exterior Face Skin	26 Gauge G90 Galvanized or AZ50 Galvalume. 24 and 22 Gauge optional				
Interior Face Skin	26 Gauge G90/AZ50, Optional Gauges: 24 and 22 G90/AZ50, 26 304 2B Stainless Steel				
Panel Module**	40"[1016mm]				
Lengths**	Minimum: 8'[2.4m], Maximum: 40'[12.2m]				
Side Lap	Exterior: Trapezoidal Overlap Interior: Shiplap				
GWP±	5.6 to 10.6 Lb CO ₂ eq/ft ² [27.5 to 51.5 kg CO2eq/m2]				
Core Type	Polyisocyanurate/ PIR				
Thermal Performance [†]					
Thickness	1.5"[38mm]	2.5"[64mm]	3"[76mm]	4"[102mm]	
R-Value @ 75°F mean (°F·ft2·h/BTU)	10.8	18.0	21.6	28.8	
U-Value @ 75°F mean (BTU/°F·ft2·h) :	N/A	0.087	0.073	0.040	
R-Value @ 35°F mean (°F·ft2·h/BTU)	12.3	20.5	24.6	32.8	
U-Value @ 35°F mean (BTU/°F·ft2·h)‡	N/A	0.078	0.062	0.032	

^{*} For interior applications only



^{**} Contact AWIP for Custom Sizes

[†] R-Values as tested per ASTM C518 ‡ U-Values as tested per ASTM C1363

[±] Per EPD based on TRACI method from cradle to gate(A1-A3). Lower range based on 2" 26/26 gauge panel. Higher limit based on 6" 22/22 gauge panel. Not all profiles are available in these specific configurations, contact AWIP for more information.

Testing & Approvals

Category	Test	Test Title	Results	
Fire	ASTM E84	Surface Burning Characteristics of Building Materials	Flame Spread Index: 25 or less Smoke Developed Index: 450 or less	
	NFPA 285	Evaluation of Fire Propagation Characteristics of Exterior Non-Load Bearing Wall Assemblies	Passed	
	NFPA 286	Room Fire Growth for Wall and Ceiling Interior	Passed Maximum 4"[102mm] thickness	
	NFPA 268	Standard Test Method for Determining Ignitibility of Exterior Wall Assemblies Using a Radiant Heat Energy Source	Assembly tested meets the requirements of the standard	
Water Penetration	ASTM E331	Water Penetration of Exterior Windows, Skylights, Doors and Curtain Walls by Uniform Static Air Pressure Difference	No uncontrolled water penetration at 6.24 PSF differential pressure for a duration of 2-hours	
Air Infiltration	ASTM E283	Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors	<0.03 CFM/ft2 of Panel Area inclusive of stack joint at 6.24 PSF	
Structural	ASTM E1592	Structural Performance for Sheet Metal and Sidings Systems by Uniform Static Air Pressure Difference	See Span Tables	
Thermal	ASTM C518	Steady-State Thermal Transmission	Nominal R-value of 7.2 [hr·ft2·°F/Btu] per inch at 75°F mean temperature and 8.2 [hr·ft2·°F/Btu] per inch at 35°F mean temperature	
	ASTM C1363	Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus	U-values are tested with 2" and 4" thicknesses. U-values for other thicknesses are interpolated. See U-values in the table on page 1	



Scan for the most current product information

1 (888) 970-AWIP (2947) awipanels.com sales@awipanels.com

