


NOTE: AWIP WILL PROVIDE PW- AND SB- PLATES AS SHOWN IN THE DRAWINGS. THE PW- AND SB- LAYOUT IS A GRAPHICAL REPRESENTATION ONLY. FINAL LAYOUT / DESIGN OF CEILING AND PARTITION BRACING SHALL BE THE RESPONSIBILITY OF THE STRUCTURAL ENGINEER OF RECORD.

NOTE: "SB-01" SEISMIC BRACE PLATE TO BE USED IN LIEU OF "PW-01" PLATE WASHERS AT ALL LOCATIONS SPECIFIED ON CEILING LAYOUT.

NOTE: ERECTOR MAY PRE-ASSEMBLE HARDWARE ON $\frac{3}{8}$ " HANGER RODS; USE TIE-WIRES TO HOLD WASHERS ABOVE WORKING POINT.




NOTES:
1. STANDARD CEILING DESIGN LOAD: 20 PSF
2. TYPICAL ALL-THREAD ROD SPACING: $\frac{1}{2}$ \" O/C
3. TYPICAL CEILING TEE SPACING $\frac{1}{2}$ \" O/C

NOTE: STRUCTURAL SUPPORT SYSTEM FOR THE CEILING ASSEMBLY LOAD BY OTHERS (NOT BY IMP SUPPLIER).

USE (1) WASHER EACH AT NUT AND BOLT HEAD LOCATIONS.

AL-01 ALUMINUM CEILING TEE SYSTEM

(ISOMETRIC VIEW)



DETAIL:

ISOMETRIC - AL-01 TEE

APPLICATION:

CEILING, AMBIENT, COOLER

AWIP DETAIL NUMBER:

APC-AIIC-ISO-001

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather
Insulated Panels



SHEET:

DATE:
06/12/24

DRAWN BY:
MMF/DJM

1

OF 1