

"WC-01" PANEL CLIP W/
(\square) $\frac{1}{4}$ - 14 x \square TEK 3 W/O
WASHER AT PANEL JOINT

SECONDARY FRAMING
(NOT BY ONEDEK™ SUPPLIER)

NOTE: BUTYL SEALANT AT WALL
JOINERY NOT SHOWN FOR CLARITY.

FILL VOID WITH
COMPRESSIBLE INSULATION
(NOT BY ONEDEK™ SUPPLIER)

CONTINUOUS THERMAL
CUT FOR COLD STORAGE
APPLICATIONS

#12 - 24 x \square " TRUFAST PURLIN
FASTENERS W/ "RP-01" ROOF DECK
PLATE (REFER TO RD1 FASTENING
SYSTEM)

UV RESISTANT POLYURETHANE SEALANT
BY OTHERS (NOT BY ONEDEK™ SUPPLIER)

"BT-X7" FASCIA TRIM W/
 $\frac{1}{4}$ - 14 x $\frac{7}{8}$ " STITCH TEK 12" O/C

CONTINUOUS RETAINER FOR SINGLE PLY
MEMBRANE W/ FASTENERS 12" O/C MAX.
(NOT BY ONEDEK™ SUPPLIER)

HOT-AIR WELD & CUT EDGE SEALANT
(NOT BY ONEDEK™ SUPPLIER)

ONEDEK™ THERMOPLASTIC
ROOF MEMBRANE
(SEE "ONEDEK™ ROOFING
MEMBRANE" FOR
ATTACHMENT OPTIONS)

60 MIL
UNSUPPORTED
FLASHING

EXPANSION JOINT
(NOT BY ONEDEK™
SUPPLIER)

SECONDARY FRAMING
(NOT BY ONEDEK™
SUPPLIER)


BASE FLASHING AT ROOF-TO-WALL EXPANSION JOINT (HIGH EAVE)

(SECTION VIEW)

DETAIL:

ROOF-TO-WALL EXPANSION JOINT (HIGH EAVE)

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM



APPLICATION:
RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE
AWIP DETAIL NUMBER:
RDR-CICS-EJ-002

DATE:
06/18/19

SHEET:
1 OF 1

DRAWN BY:
MMF