



**NOTE: BARE SRC-PROVIDED FOR PROJECTS WITH ROOF SLOPE  $\leq$  1:12 AND EAVE HEIGHT  $\geq$  20'.**

**NOTE: DO NOT OVER-DRIVE FASTENERS. IF THE METAL AT THE EDGE OF THE PANEL IS DEFORMED OUT OF PLANE, THE ADJACENT PANEL WILL BE DIFFICULT TO ENGAGE AND WILL NOT SEAM. AFTER SR CLIP HAS BEEN INSTALLED OVER MALE LEG OF STANDING SEAM PANEL, PRE-CRIMP, USING  $\frac{1}{2}$ " HAND CRIMPING TOOL.**

**# HIGH EAVE**  
(SECTION VIEW)

DETAIL: **HIGH EAVE**

APPLICATION: SR ROOF, COMMERCIAL & INDUSTRIAL  
AWIP DETAIL NUMBER: SRR-ACH-HE-001

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

ALL WEATHER INSULATED PANELS

AWIP

DATE: 01/13/20	SHEET: 1
DRAWN BY: MMF	OF 1