

NOTE: "JC-" JOINT COVER MUST TUCK INTO BASE FLASHING .

FIELD-FILL W/ _____
COMPRESSIBLE INSULATION
(NOT BY IMP SUPPLIER)

"JC-03" JOINT COVER W/ —
10. x 0.75" PPH DP3 12" O/C

"WC-01" PANEL CLIP W/ —
() 1/4 - 14 x — HWH DP3 W/O
WASHER AT PANEL JOINT

(1) 1/4 - 14 x _ HWH DP3 W/
WASHER 20" O/C

DIM.

– VERTICAL FRAMING
(NOT BY IMP SUPPLIER)

- FIELD-APPLIED BUTYL TAPE


– "AL-03" EXTRUDED VERTICAL
REVEAL W/ "AL-04" EXTRUDED
REVEAL CAP

– 1/2" x 3/32" BUTYL TAPE
SEALANT

1 3/8" (TYP.)

PANEL TRANSITION AT END JOINT

(PLAN VIEW)



DETAIL:

PANEL TRANSITION - END JOINT

APPLICATION:

HORIZONTAL WALL, COMMERCIAL & INDUSTRIAL

AWIP DETAIL NUMBER:

AHW-ACI-PT-002

VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

All Weather Insulated Panels



SHEET:

DATE: _____

DRAWN BY:

MMF

1 OF 1