

RUN "CT-" CAP TRIM UP  
PAST PANEL EDGE HEIGHT  
SO "BT-" UNIVERSAL L LAPS  
OVER AT TRANSITION

"BT-" UNIVERSAL L

EDGE OF PANEL LINE

(TRANSITION DETAIL)

"WC-01" PANEL CLIP W/  
(2) 1/4" - 14 x \_ HWH DP3 W/O  
WASHER AT PANEL JOINT

BUTYL SEALANT AT  
VERTICAL JOINT

"BT-02" UNIVERSAL L W/  
POP RIVETS 12" O/C (SET  
TRIM IN BUTYL SEALANT)

1/4"

FRAMED OPENING  
(NOT BY IMP SUPPLIER)

"DF-02" DRIP FLASHING


BUTYL SEALANT  
(MARRY TO VERTICAL SEALANT)

"JP-01" JAMB CAP W/  
1/4" - 14 x 0.88" HWH DP1  
36" O/C (AT O.H.D. ONLY)


BUTYL SEALANT (OPTIONAL;  
NOT BY IMP SUPPLIER)

# # FRAMED OPENING - HEADER (SECTION VIEW)


DETAIL,  
CLICK HERE



DOOR,  
CLICK HERE



WINDOW,  
CLICK HERE



DETAIL:

## FRAMED OPENING - HEADER

APPLICATION:

VERTICAL WALL, COMMERCIAL & INDUSTRIAL

AWIP DETAIL NUMBER:

AVW-ACH-FO-001

DATE:

11/15/24

DRAWN BY:

MMF

SHEET:

1

OF 1

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688

TEL: (707) 359-2280

FAX: (707) 359-2286

WWW.AWIPANELS.COM

