


NOTE: AWIP WILL PROVIDE PW- AND SB- PLATES AS SHOWN IN THE DRAWINGS. THE PW- AND SB- LAYOUT IS A GRAPHICAL REPRESENTATION ONLY. FINAL LAYOUT / DESIGN OF CEILING AND PARTITION BRACING SHALL BE THE RESPONSIBILITY OF THE STRUCTURAL ENGINEER OF RECORD.

NOTE: "SB-01" SEISMIC BRACE PLATE TO BE USED IN LIEU OF "PW-01" PLATE WASHERS AT ALL LOCATIONS SPECIFIED ON CEILING LAYOUT.

NOTE: ERECTOR MAY PRE-ASSEMBLE HARDWARE ON  $\frac{3}{8}$ " HANGER RODS; USE TIE-WIRES TO HOLD WASHERS ABOVE WORKING POINT.





- NOTES:
1. STANDARD CEILING DESIGN LOAD: 20 PSF
  2. TYPICAL ALL-THREAD ROD SPACING:  $\frac{1}{2}$ " O/C
  3. TYPICAL CEILING TEE SPACING:  $\frac{1}{2}$ " O/C

NOTE: STRUCTURAL SUPPORT SYSTEM FOR THE CEILING ASSEMBLY LOAD BY OTHERS (NOT BY IMP SUPPLIER).

TRUSS,  
CLICK HERE

Z PURLIN,  
CLICK HERE



## AL-01 ALUMINUM CEILING TEE SYSTEM

(ISOMETRIC VIEW)

DETAIL:

### ISOMETRIC - AL-01 TEE

APPLICATION:

CEILING, AMBIENT, COOLER

AWIP DETAIL NUMBER:

APC-AIIC-ISO-001

929 ALDRIDGE ROAD  
VACAVILLE, CA 94688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM



SHEET:

DATE:

11/18/24

DRAWN BY:

MMF/DJM

1

OF 1