

HR\_ INSIDE CLOSURE STRIP  
 W/  $\frac{3}{4}$ " x  $\frac{3}{32}$ " BUTYL TAPE  
 SEALANT AT TOP & BOTTOM

3"

FIELD-FILL W/ COMPRESSIBLE  
 INSULATION (NOT BY IMP SUPPLIER)

NOTE: FIELD-REMOVE FOAM  
 & LINER AT CUTBACK.

$\frac{1}{4}$  - 14 x  $\frac{7}{8}$ " STITCH  
 TEKS 6" O/C

"LE-\_" LOW EAVE TRIM

POP RIVETS 12" O/C

"WC-01" PANEL CLIP W/  
 ( $\frac{1}{4}$ )  $\frac{1}{4}$  - 14 x \_ TEK 3 FASTENERS  
 W/O WASHER AT PANEL JOINT

"SW-01" SADDLE WASHER W/  
 $\frac{1}{4}$  - 14 x \_ TEK 3 W/ WASHER  
 SPACED \_ O/C (PILOT HOLE  
 RECOMMENDED)

BUTYL TAPE SEALANT

BUTYL TAPE SEALANT (MARRY  
 TO VERTICAL SEALANT)

EAVE STRUT  
 (NOT BY IMP SUPPLIER)

BUTYL SEALANT AT  
 VERTICAL JOINT

# # GUTTERLESS EAVE

(SECTION VIEW)

DETAIL:

## GUTTERLESS EAVE

APPLICATION:

HR ROOF, COMMERCIAL & INDUSTRIAL

AWIP DETAIL NUMBER:

HRR-ACL-GE-001

DATE:

05/03/21

DRAWN BY:

MMF

SHEET:

1

OF

1

929 ALDRIDGE ROAD  
 VACAVILLE, CA 95688  
 TEL: (707) 359-2280  
 FAX: (707) 359-2286  
 WWW.AWIPANELS.COM

**All Weather**  
 Insulated Panels

