

HR_ INSIDE CLOSURE STRIP
W/ 1" x 3/16" BUTYL TAPE
SEALANT AT TOP & BOTTOM

"GH-01" GUTTER HANGER AT
INTERIOR HI-RIBS 40" O/C ATTACH
W/ (4) 1/4 - 14 x 7/8" STITCH TEKS

1/4 - 14 x 7/8" STITCH
TEKS 6" O/C

"GT-01" GUTTER TRIM

"ET-03" EAVE TRIM W/
STITCH TEK 12" O/C
(SET IN BUTYL SEALANT)

"BB-01" BIRD BLOCK W/
1/4 - 14 x 7/8" STITCH TEK 12" O/C

"WC-01" PANEL CLIP W/
() 1/4 - 14 x _ TEK 3 FASTENERS
W/O WASHER AT PANEL JOINT

BUTYL SEALANT AT
VERTICAL JOINT

3"
WALL
THICKNESS

FILL GAP CONTINUOUSLY WITH
TWO-PART FOAMED-IN-PLACE
URETHANE (NOT BY IMP SUPPLIER)

(3) 1/4 - 14 x _ TEK 3 FASTENERS
W/ WASHER, PER PANEL
(SPACED EVENLY)

BUTYL TAPE

EAVE STRUT
(NOT BY IMP SUPPLIER)

EAVE W/ GUTTER


(SECTION VIEW)

NOTE: FIELD-REMOVE FOAM
& LINER AT CUTBACK.

DETAIL: **EAVE WITH GUTTER**

APPLICATION:
HR ROOF, COLD-STORAGE
AWIP DETAIL NUMBER:
HRR-ACS-EG-001

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM



DATE: 03/21/19
DRAWN BY: MMF

SHEET: 1 OF 1