



"WC-01" PANEL CLIP W/  
 ( ) 1/4 - 14 x 3/8 W/O  
 WASHER AT PANEL JOINT

SECONDARY FRAMING  
 (NOT BY ONEDEK®  
 SUPPLIER)

FILL VOID WITH  
 COMPRESSIBLE INSULATION  
 (NOT BY ONEDEK® SUPPLIER)

CONTINUOUS THERMAL  
 CUT FOR COLD STORAGE  
 APPLICATIONS

**NOTE: BUTYL SEALANT AT WALL  
 JOINERY NOT SHOWN FOR CLARITY.**

#12 - 24 x 1/2" TRUFAST PURLIN  
 FASTENERS W/ "RP-01" ROOF DECK  
 PLATE 12" O/C

UV RESISTANT POLYURETHANE SEALANT  
 BY OTHERS (NOT BY ONEDEK® SUPPLIER)

"BT-X7" FASCIA TRIM W/  
 1/4 - 14 x 7/8" STITCH TEK 12" O/C

CONTINUOUS RETAINER FOR SINGLE PLY  
 MEMBRANE W/ FASTENERS 12" O/C MAX.  
 (NOT BY ONEDEK® SUPPLIER)

HOT-AIR WELD & CUT EDGE SEALANT  
 (NOT BY ONEDEK® SUPPLIER)

ONEDEK®  
 THERMOPLASTIC  
 ROOF MEMBRANE  
 (SEE "ONEDEK®  
 ROOFING MEMBRANE"  
 FOR ATTACHMENT  
 OPTIONS)

55 MIL  
 UNREINFORCED  
 FLASHING

EXPANSION JOINT  
 (NOT BY ONEDEK®  
 SUPPLIER)

SECONDARY FRAMING  
 (NOT BY ONEDEK®  
 SUPPLIER)

# # BASE FLASHING AT ROOF-TO-WALL EXPANSION JOINT (RAKE)

(SECTION VIEW)

DETAIL: **ROOF-TO-WALL EXPANSION JOINT (RAKE)**

929 ALDRIDGE ROAD  
 VACAVILLE, CA 95688  
 TEL: (707) 359-2280  
 FAX: (707) 359-2286  
 WWW.AWIPANELS.COM

**All Weather**  
 Insulated Panels



APPLICATION: RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE  
 DATE: 06/28/22  
 DRAWN BY: MMF

SHEET: 1 OF 1