

NOTE: "SB-01" SEISMIC BRACE PLATE TO BE USED IN LIEU OF "PW-01" PLATE WASHERS AT ALL LOCATIONS SPECIFIED ON CEILING LAYOUT.

"PW-02" PLATE WASHER

4" PEEL & STICK BITUMEN MEMBRANE

"JC-01" JOINT COVER W/ 10. x 0.75" PPH DP3 12" O/C (STAGGERED)

(1) 1/2" Ø x 1 3/8" CLEVIS PIN W/ (1) SPLIT PIN

1/4 - 14 x 1" PNC DP3 W/O WASHER 12" O/C

"AL-06" ALUMINUM CEILING TEE

(2) 1/2" Ø NUTS & WASHERS (NOT BY IMP SUPPLIER)

SECONDARY SUPPORT (NOT BY IMP SUPPLIER)

1/2" Ø GALVANIZED ALL-THREAD HANGER ROD (NOT BY IMP SUPPLIER)

1/2" Ø COUPLER NUT (AS REQUIRED; NOT BY IMP SUPPLIER)

(2) 1/2" Ø NUTS W/ (1) 1/2" Ø WASHER FENDER WASHERS W/ 7/8" Ø HOLE AS NEEDED FOR 4" THICK PANELS (NOT BY IMP SUPPLIER)

NOTE: FIELD-NOTCH PANELS AROUND CLEVIS ASSEMBLY / HANGER ROD AS NECESSARY.

(1) 1/2" Ø CLEVIS


FILL GAP W/ ONE-PART EXPANDING FOAM SEALANT (NOT BY IMP SUPPLIER)

1 1/2" (MAX.)

#

SUSPENDED CEILING W/ ALUMINUM TEE (AL-06)

(SECTION VIEW)



DETAIL:

SUSPENDED CEILING - AL-06 ALUMINUM TEE W/ CLEVIS

APPLICATION:

CEILING, AMBIENT, COOLER

AWIP DETAIL NUMBER:

APC-AIIC-SC-007

DATE:

12/15/23

DRAWN BY:

MMF

SHEET:

1

OF 1

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM

