VAPOR BARRIER
(NOT BY IMP SUPPLIER)

SILICONE SEALANT AFTER
TEMPERTURE PULL-DOWN
(NOT BY IMP SUPPLIER)

FINISH FLOOR
(NOT BY IMP SUPPLIER)

FIELD-CUT THERMAL BREAK
AS REQUIRED

BUTYL SEALANT AT
VERTICAL JOINT

SIKA FLEX ONE-PART
POLYURETHANE SEALANT BY
OTHERS (NOT BY IMP SUPPLIER)

FLOOR INSULATION
(NOT BY IMP
SUPPLIER)

"BT-09" BASE TRIM W/
$\frac{1}{4}$ -14 x 0.88" HWH DP1 12" O/C

SET PANEL IN POURABLE
SEALANT AS SHOWN
(NOT BY IMP SUPPLER)

VAPOR BARRIER
(NOT BY IMP SUPPLIER)

ONE-PART EXPANDING
FOAM SEALANT (OPTIONAL;
NOT BY IMP SUPPLIER)

"BC-01" U-CHANNEL
SET IN GUN GRADE
BUTYL SEALANT

CONCRETE ANCHORS
(NOT BY IMP SUPPLIER)

BASE CONDITION - COOLER/FREEZER

(SECTION VIEW)

DETAIL:
BASE CONDITION - COOLER/FREEZER

APPLICATION:
VERTICAL WALL, COLD-STORAGE

AWIP DETAIL NUMBER:
AVW-ACS-BC-001

DATE: 09/28/23

DRAWN BY: MMF

SHEET: 1 OF 1