

"WC-01" PANEL CLIP W/  
( ) ¼ - 14 x \_ HWH DP3 W/O  
WASHER AT PANEL JOINT

SECONDARY FRAMING  
(NOT BY ONEDEK® SUPPLIER)

NOTE: BUTYL SEALANT AT WALL  
JOINERY NOT SHOWN FOR CLARITY.

FILL VOID WITH  
COMPRESSIBLE INSULATION  
(NOT BY ONEDEK® SUPPLIER)

CONTINUOUS THERMAL  
CUT FOR COLD STORAGE  
APPLICATIONS

12. - 24 x \_ PNC DP4 W/ "RP-01"  
ROOF DECK PLATE (REFER TO  
RD1 FASTENING SYSTEM)

UV RESISTANT POLYURETHANE SEALANT  
BY OTHERS (NOT BY ONEDEK® SUPPLIER)

"BT-X7" FASCIA TRIM W/  
¼ - 14 x 0.88" HWH DP1 12" O/C

CONTINUOUS RETAINER FOR SINGLE PLY  
MEMBRANE W/ FASTENERS 12" O/C MAX.  
(NOT BY ONEDEK® SUPPLIER)

HOT-AIR WELD & CUT EDGE SEALANT  
(NOT BY ONEDEK® SUPPLIER)

ONEDEK® THERMOPLASTIC  
ROOF MEMBRANE (SEE  
"ONEDEK® ROOFING MEMBRANE"  
FOR ATTACHMENT OPTIONS)

55 MIL  
UNREINFORCED  
FLASHING

EXPANSION JOINT  
(NOT BY ONEDEK®  
SUPPLIER)

SECONDARY FRAMING  
(NOT BY ONEDEK®  
SUPPLIER)

#

## BASE FLASHING AT ROOF-TO-WALL EXPANSION JOINT (HIGH EAVE)

(SECTION VIEW)

DETAIL:

ROOF-TO-WALL EXPANSION JOINT (HIGH EAVE)

APPLICATION:

RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE

AWIP DETAIL NUMBER:

RDR-CJCS-EJ-002

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

**All Weather**  
Insulated Panels



SHEET:

DATE:

10/31/23

DRAWN BY:

MMF

1 OF 1