

"WC-01" PANEL CLIP W/  
(\_) 1/4 - 14 x \_ HWH DP3 W/O  
WASHER AT PANEL JOINT

SECONDARY FRAMING  
(NOT BY ONEDEK®  
SUPPLIER)

ADHERED ONEDEK® FLASHING

15.-13 x 1.3" TRU DP1 W/ "RP-02"  
BARBED MEMBRANE PLATE 6" O/C

FILL VOID WITH  
ONE-PART EXPANDING  
FOAM SEALANT

CONTINUOUS THERMAL  
CUT FOR COLD STORAGE  
APPLICATIONS

12. - 24 x \_ PNC DP4 W/ "RP-01"  
ROOF DECK PLATE (REFER TO  
RD1 FASTENING SYSTEM)

UV RESISTANT POLYURETHANE SEALANT  
BY OTHERS (NOT BY ONEDEK® SUPPLIER)

"BT-07" FASCIA TRIM W/  
1/4 -14 x 0.88" HWH DP1 12" O/C

CONTINUOUS RETAINER FOR SINGLE PLY  
MEMBRANE W/ FASTENERS 12" O/C MAX.  
(NOT BY ONEDEK® SUPPLIER)

1 1/2"  
MIN. WELD  
(CONTINUOUS)

ONEDEK®  
THERMOPLASTIC  
ROOF MEMBRANE  
(SEE "ONEDEK®  
ROOFING  
MEMBRANE" FOR  
ATTACHMENT  
OPTIONS)

SECONDARY FRAMING  
(NOT BY ONEDEK® SUPPLIER)

NOTE: BUTYL SEALANT AT WALL  
JOINERY NOT SHOWN FOR CLARITY.

# # BASE FLASHING W/ SURFACE-MOUNTED COUNTERFLASHING (HIGH EAVE) (SECTION VIEW)

DETAIL:

SURFACE-MOUNTED COUNTERFLASHING (HIGH EAVE)

APPLICATION:

RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE

AWIP DETAIL NUMBER:

RDR-CICS-HEW-002

SHEET:

DATE:

11/22/23

DRAWN BY:

MMF

1 OF 1

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

**All Weather**  
Insulated Panels

