


FILL GAP CONTINUOUSLY WITH
TWO-PART FOAMED-IN-PLACE
URETHANE (NOT BY ONEDEK™
SUPPLIER)



"OR-03" OUTSIDE RIDGE
W/ #14 - 13 x 1½" TRUSS HEAD
TEK FASTENERS 12" O/C

ONEDEK® THERMOPLASTIC
ROOF MEMBRANE
(SEE "ONEDEK® ROOFING
MEMBRANE" FOR ATTACHMENT
OPTIONS)

"IR-01" INSIDE RIDGE W/
#10 x ¾" PPH 12" O/C

#12 - 24 x _" TRUFAST PURLIN
FASTENERS W/ "RP-01" ROOF DECK
PLATE (REFER TO RD1 FASTENING
SYSTEM)

SECONDARY FRAMING BY OTHERS
(NOT BY ONEDEK® SUPPLIER)

RIDGE APEX

(SECTION VIEW)



DETAIL: RIDGE APEX

APPLICATION:
RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE
AWIP DETAIL NUMBER:
RDR-CICS-RA-001

929 ALDRIDGE ROAD
VACAVILLE, CA 95688
TEL: (707) 359-2280
FAX: (707) 359-2286
WWW.AWIPANELS.COM



SHEET:
1 OF 1

DATE: 02/06/23
DRAWN BY: MMF