


FILL GAP CONTINUOUSLY WITH  
TWO-PART FOAMED-IN-PLACE  
URETHANE (NOT BY ONEDEK™  
SUPPLIER)

"OR-03" OUTSIDE RIDGE  
W/ 14. - 13 x 1.5" TRU DP1 12" O/C

ONEDEK® THERMOPLASTIC  
ROOF MEMBRANE  
(SEE "ONEDEK® ROOFING  
MEMBRANE" FOR ATTACHMENT  
OPTIONS)



"IR-01" INSIDE RIDGE W/  
10. x 0.75" PPH DP3 12" O/C

12. - 24 x \_ PNC DP4 W/ "RP-01" ROOF  
DECK PLATE (REFER TO RD1  
FASTENING SYSTEM)

SECONDARY FRAMING BY OTHERS  
(NOT BY ONEDEK® SUPPLIER)

#

## RIDGE APEX

(SECTION VIEW)



DETAIL:

### RIDGE APEX

APPLICATION:

RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE

AWIP DETAIL NUMBER:

RDR-CICS-RA-001

DATE:

10/24/23

DRAWN BY:

MMF

SHEET:

1

OF 1

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

