

WOOD NAILER BY OTHERS  
(NOT BY ONEDEK® SUPPLIER)

NOTE: REFER TO DETAIL \_E FOR EDGE  
METAL ASSEMBLY INFORMATION.

NOTE: BUTYL SEALANT  
AT WALL JOINERY NOT  
SHOWN FOR CLARITY.  
ENSURE ALL SEALANTS  
MARRY TO CREATE A  
THERMAL ENVELOPE.

FILL VOID WITH ONE-PART  
EXPANDING FOAM SEALANT

WALL SYSTEM BY OTHERS  
(NOT BY ONEDEK® SUPPLIER)

3" MIN.

HOT-AIR WELDED \_\_ 45 MIL  
REINFORCED FLASHING  
ONEDEK® THERMOPLASTIC  
ROOF MEMBRANE (SEE  
"ONEDEK® ROOFING MEMBRANE"  
FOR ATTACHMENT OPTIONS)


12. - 24 x \_\_ PNC DP4 W/ "RP-01"  
ROOF DECK PLATE (REFER TO  
RD1 FASTENING SYSTEM)

BUTYL TAPE

EAVE STRUT (NOT BY  
ONEDEK® SUPPLIER)

# # GUTTER W/ PERIMETER EDGE METAL

(SECTION VIEW)



DETAIL: GUTTER W/ PERIMETER EDGE METAL

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

**All Weather**  
Insulated Panels



APPLICATION:  
RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE  
AWIP DETAIL NUMBER:  
RDR-CICS-WBO-004

DATE:  
10/25/23  
DRAWN BY:  
MMF

SHEET:  
1 OF 1

WOOD NAILER BY OTHERS  
(NOT BY ONEDEK® SUPPLIER)

POLYETHER SEALANT

CB-90 TERMINATION BAR x 10'-0"

3" MIN.

HOT-AIR WELDED \_\_ 45 MIL  
REINFORCED FLASHING  
ONEDEK® THERMOPLASTIC  
ROOF MEMBRANE (SEE  
"ONEDEK® ROOFING MEMBRANE"  
FOR ATTACHMENT OPTIONS)

2-PIECE EXTRUDED  
ALUM. BRACKET 1" WIDE  
@ 2'-0" O/C

WR GUTTER - 7 <sup>3</sup>/<sub>4</sub>", FORMED IN  
12'-0" LENGTHS W/  
CONCEALED SPLICES, 6" WIDE

WALL SYSTEM BY OTHERS  
(NOT BY ONEDEK® SUPPLIER)

1 <sup>1</sup>/<sub>2</sub>" MIN. WELD (CONTINUOUS)

14. - 13 x 1.5" TRU DP1 6" O/C

#14 x 1 <sup>1</sup>/<sub>2</sub>" UNIVERSAL  
FASTENER 2'-0" O/C

## #E GUTTER W/ PERIMETER EDGE METAL

(SECTION VIEW)

DETAIL:

GUTTER W/ PERIMETER EDGE METAL, CHAMFER VERSION 7 <sup>3</sup>/<sub>4</sub>"

APPLICATION:

RD1 ROOF DECK, COMMERCIAL & INDUSTRIAL, COLD-STORAGE

AWIP DETAIL NUMBER:

RDR-CICS-WBO-004

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

**All Weather**  
Insulated Panels



SHEET:

DATE:

11/17/23

DRAWN BY:

MMF

1

OF 1