

**NOTE: FIELD REMOVE FOAM AND LINER AT CUTBACK.**

FIELD-FILL W/ COMPRESSIBLE INSULATION  
(NOT BY IMP SUPPLIER)

"GS-02S" GUTTER HANGER  
20" O/C W/ (5) 1/4 -14 x 0.88"  
HWH DP1

"GT-\_S" GUTTER TRIM

SR\_INSIDE CLOSURE  
STRIP W/ 3/4" x 3/32" BUTYL  
TAPE SEALANT AT TOP &  
BOTTOM


1/4 -14 x 0.88" HWH DP1  
6" O/C

"BB-01" BIRD BLOCK W/  
1/4 -14 x 0.88" HWH DP1 12" O/C

"WC-01" PANEL CLIP W/  
( ) 1/4 - 14 x \_ HWH DP3 W/O  
WASHER AT PANEL JOINT

BUTYL SEALANT AT  
VERTICAL JOINT

EAVE STRUT  
(NOT BY IMP SUPPLIER)



BUTYL TAPE  
SEALANT STRIP  
UNDER GUTTER  
STRAP

SR\_ ROOF PANEL CLIP W/  
( ) 1/4 - 14 x 2" HWH DP3 W/O WASHER,  
PER CLIP, PER PANEL AT EAVE STRUT

BUTYL TAPE SEALANT

BUTYL TAPE SEALANT (MARRY  
TO VERTICAL SEALANT)

**NOTE: DO NOT OVER-DRIVE FASTENERS. IF THE METAL AT THE EDGE OF THE PANEL IS DEFORMED OUT OF PLANE, THE ADJACENT PANEL WILL BE DIFFICULT TO ENGAGE AND WILL NOT SEAM. AFTER SR CLIP HAS BEEN INSTALLED OVER MALE LEG OF STANDING SEAM PANEL, PRE-CRIMP, USING 1/2" HAND CRIMPING TOOL.**

# # EAVE W/ GUTTER

(SECTION VIEW)



DETAIL: <b>EAVE WITH GUTTER</b>	DATE: 11/16/23	SHEET: 1	OF 1
	APPLICATION: SR ROOF, COMMERCIAL & INDUSTRIAL	DRAWN BY: MMF	

929 ALDRIDGE ROAD  
VACAVILLE, CA 95688  
TEL: (707) 359-2280  
FAX: (707) 359-2286  
WWW.AWIPANELS.COM

**All Weather**  
Insulated Panels

**AWIP**