

Finish systems give you measurable performance while colors help punctuate your design. Timeless or contemporary, All Weather Insulated Panels has your project covered!





Scan for the most current
product information

SHERWIN-WILLIAMS®
Coil Coatings

Sherwin-Williams® trademark of SWIMC LLC.

In accordance with ongoing efforts to improve our products and their performance, All Weather Insulated Panels reserves the right to change without notice the specifications contained herein. The contents herein are for general information and illustrative purposes only and are not intended to serve as any type of advice. Every effort is made to ensure the accuracy of the information included in this brochure and it is believed that the information contained herein is accurate and reliable as of the date of this publication. All Weather Insulated Panels does not warrant or represent the accuracy or reliability of any information included in this collateral. Any reliance of any information without consultation with All Weather Insulated Panels or a duly authorized representative shall be at the user's own risk. Copyright 2023 All Weather Insulated Panels — All rights reserved.

AWIP|002|07/12/2023



All Weather
Insulated Panels

1 (888) 970-AWIP (2947)
awipanel.com
sales@awipanel.com



All Weather Insulated Panels

Color Chart & Finishes



All Weather
Insulated Panels

Your vision. Our purpose.




Colors


All Weather Insulated Panels (AWIP) offers factory coating solutions for a multitude of building designs and performance requirements. Equipped with the latest cool color pigment technologies and a variety of specific formulations to protect your building envelope from the outside or the inside, AWIP has the paint system to match your task.

- Embossed metal surfaces are offered as a standard on wall panels and non-embossed (smooth) for roof panels. Non-embossed finishes may be available on wall panels upon request depending on color, gauge and end use.
- Premium colors, paint systems and special orders are subject to higher pricing and extended lead times.
- Complete paint system specifications and standard finish warranties are available upon request.

Standard SMP



IMPERIAL WHITE
SR .70 | E .86 | SRI 85




POLAR WHITE
SR .60 | E .87 | SRI 71



LIGHT STONE
SR .56 | E .87 | SRI 66



SANDSTONE
SR .60 | E .86 | SRI 71



BURNISHED SLATE
SR .32 | E .87 | SRI 33



SURREY BEIGE
SR .53 | E .86 | SRI 61

AdobeTexture®



REGAL WHITE
SR .68 | E .87 | SRI 82



PEARL GRAY
SR .45 | E .88 | SRI 51




SANDSTONE
SR .58 | E .87 | SRI 68




SURREY BEIGE
SR .48 | E .87 | SRI 51


Premium SMP



ASH GRAY
SR .46 | E .87 | SRI 52



GRIZZLE GRAY
SR .33 | E .87 | SRI 35




ALMOND
SR .63 | E .86 | SRI 75



TUNDRA
SR .44 | E .87 | SRI 49

Standard Interior Polyester




IMPERIAL WHITE
SR .66 | E .85 | SRI 79

The colors shown here are representative only and not necessarily true reproductions of actual coating colors. All performance data (SR, E and SRI) listed for SMP and PVDF, unless otherwise noted, are for AW500 and AW1000 finish systems, respectively.

For further information regarding color availability in nonstandard finish systems, please contact your local sales representative. Color chips are available upon request.

Standard PVDF*



REGAL WHITE
SR .72 | E .87 | SRI 88



LIGHT FRENCH GRAY
SR .60 | E .87 | SRI 71



PEARL GRAY
SR .49 | E .86 | SRI 56




TUNDRA
SR .45 | E .87 | SRI 51



ALMOND
SR .63 | E .87 | SRI 75




SURREY BEIGE
SR .48 | E .85 | SRI 54




MEDIUM BRONZE
SR .33 | E .86 | SRI 34




REDDENED EARTH
SR .44 | E .86 | SRI 49



SLATE GRAY
SR .40 | E .87 | SRI 44



SANDSTONE
SR .61 | E .85 | SRI 72




WARM WHITE
SR .64 | E .87 | SRI 77



ROYAL BLUE
SR .29 | E .86 | SRI 29


Premium PVDF*




SNOW WHITE
SR .67 | E .87 | SRI 81




PEPPERCORN
SR .33 | E .87 | SRI 35




VIRTUAL TAUPE
SR .40 | E .87 | SRI 44



WEATHERED COPPER
SR .28 | E .87 | SRI 28



COLONIAL RED**
SR .33 | E .87 | SRI 35



EVERGREEN
SR .28 | E .86 | SRI 27



SLATE BLUE
SR .30 | E .87 | SRI 31



NAVAL
SR .29 | E .87 | SRI 29

PVDF - MICA (2 COAT)*



PEWTER
SR .44 | E .84 | SRI 48



CHAMPAGNE METALLIC BRONZE
SR .34 | E .84 | SRI 35



CORTEN STEEL
SR .35 | E .88 | SRI 38



TEXTURED BRONZE
SR .34 | E .88 | SRI 48


*AWIP reserves the right to supply FEVE resin as a substitute for PVDF based on availability with or without notice. This substitution will not impact warranty or performance of the paint system.

**AW1250 Finish System

Finishes

In addition to our standard paint systems, AWIP can provide high build coil coat systems formulated to withstand a variety of aggressive environments. Specifically, these expertly formulated paint finishes act not only as an excellent barrier against corrosive or extreme weather conditions but will enhance resistance to surface chalk and fade.


Non-embossed finishes may be available upon request depending on color, gauge and end use. The standard interior paint finish for all panels is Imperial White AW100 Polyester.



AW100 Polyester

Standard Interior Finish


- ① .75 mil nominal top coat
- ② .25 mil nominal primer
- ③ Substrate



AW250 AdobeTexture*

AdobeTexture* Stucco Finish


- ① .8 mil nominal top coat
- ② .2 mil nominal primer
- ③ Substrate



AW500 SMP

Solid Color Exterior Finish


- ① .75 mil nominal top coat
- ② .25 mil nominal primer
- ③ Substrate



AW750 Plastisol/PVC

Durable Interior Washdown


- ① 4.0 mil nominal top coat
- ② .15 mil nominal primer
- ③ Substrate



AW1000/1250 PVDF/FEVE

High Performance Exterior Coating


- ① .75 mil nominal top coat
- ② .25 mil nominal primer
- ③ Substrate



AW1500/1750 PVDF/FEVE-Mica

Exterior Finish with Iridescent Shine


- ① .75 mil nominal top coat
- ② .25 mil nominal primer
- ③ Substrate



AW2000/2250 PVDF/FEVE-High Build

High Build Exterior Finish


- ① .75 mil nominal top coat
- ② 1.0 mil nominal primer
- ③ Substrate



AW2500 PVDF-Coastal

Standard Coastal Finish


- ① .75 mil nominal top coat
- ② 1.1 nominal primer
- ③ Substrate



AW3000/3250 PVDF/FEVE-Metallic

Exterior Metallic with Clear Coat


- ① .50 mil nominal clear coat
- ② .75 mil nominal top coat
- ③ .2 mil nominal primer
- ④ Substrate



AW4000/4250 PVDF/FEVE-High Performance

High Build Exterior Coating for Harsh Conditions

- ① .75 mil nominal top coat
- ② 3 coats 1.0 mil nominal primer
- ③ Substrate



AW4500 PVDF-Coastal

High Build Coastal Finish

- ① .75 mil nominal top coat
- ② 3 coats 1.0 mil nominal primer
- ③ Substrate