


NOTE: AWIP WILL PROVIDE PW- AND SB- PLATES AS SHOWN IN THE DRAWINGS. THE PW- AND SB- LAYOUT IS A GRAPHICAL REPRESENTATION ONLY. FINAL LAYOUT / DESIGN OF CEILING AND PARTITION BRACING SHALL BE THE RESPONSIBILITY OF THE STRUCTURAL ENGINEER OF RECORD.

NOTE: "SB-01" SEISMIC BRACE PLATE TO BE USED IN LIEU OF "PW-01" PLATE WASHERS AT ALL LOCATIONS SPECIFIED ON CEILING LAYOUT.

NOTE: ERECTOR MAY PRE-ASSEMBLE HARDWARE ON 3/8" HANGER RODS; USE TIE-WIRES TO HOLD WASHERS ABOVE WORKING POINT.





NOTES:
 1. STANDARD CEILING DESIGN LOAD: 20 PSF
 2. TYPICAL ALL-THREAD ROD SPACING: "-'-" O/C
 3. TYPICAL CEILING TEE SPACING: "-'-" O/C

NOTE: STRUCTURAL SUPPORT SYSTEM FOR THE CEILING ASSEMBLY LOAD BY OTHERS (NOT BY IMP SUPPLIER).

TRUSS,
CLICK HERE

Z PURLIN,
CLICK HERE



AL-06 ALUMINUM CEILING TEE SYSTEM

(ISOMETRIC VIEW)

DETAIL:

ISOMETRIC - AL-06 TEE W/ EYELET

APPLICATION:
 CEILING, AMBIENT, COOLER
 AWIP DETAIL NUMBER:
 APC-AIIC-ISO-004

929 ALDRIDGE ROAD
 VACAVILLE, CA 95688
 TEL: (707) 359-2280
 FAX: (707) 359-2286
 WWW.AWIPANELS.COM

All Weather
 Insulated Panels



DATE: 11/18/24
 DRAWN BY: MMF/DJM
 SHEET: 1 OF 1